



www.vandientujaki.com

Hotline: **0978 67 1212**

Van bi đồng italia

Giá bán: **Liên hệ**

No. P11F

- * Size Range: 1" ~ 12"
- * Standard Port
- * ISO-5211 Actuator Mounting Pad
- * Flange: ANSI B16.5 Class 150/300/600
- * Anti-static Device
- * Fire Safe Design
- * TFM Sleeve for automatic actuation
- * Option: Locking Device

Description

FEATURES

- . * For Application of Isolation
- . * PTFE/TFM Sleeve
- . * Locking Device available
- * Anti-static Device
- * Pneumatic Actuator, Limit Switch, Solenoid Valve, Air Filter Regulator, etc.
- . * Fire Safe Design optional

APPLICABLES CLASS 150/300/600 STANDARDS

- . * Valve Design: API599
- . * Face to Face: ANSI B16.10
- . * Flanged Ends: ANSI B16.5
- . * Buttwelding Ends: ANSI B16.25
- . * Size Range: 1/2"~12"

TEST PRESSURE

- * According to API598, API6D

Sản phẩm khác



—

Giá bán: **Liên hệ**

[Van bi inox](#)

[Xem thêm Van bi inox](#)



—

– Xuất xứ: Hàn Quốc, Đài Loan

Giá bán: **Liên hệ**

[Van bi ren tay gat](#)

[Xem thêm Van bi ren tay gat](#)



- Xuất xứ: Đài Loan, Trung Quốc
- Tiêu chuẩn: BS 5351/Jis B1212 – B2214i
- Kích cỡ: DN15 – DN 200

Giá bán: Liên hệ

[Van bi mặt bích mỏng](#)

[Xem thêm Van bi mặt bích mỏng](#)



- Hãng sản xuất: Emico, automa
- Xuất xứ: Hàn Quốc
- Bảo hành: 2 năm

Giá bán: **Liên hệ**

[Van bi inox mặt bích tay gạt](#)

[Xem thêm Van bi inox mặt bích tay gạt](#)



- Xuất xứ: Đài Loan, Hàn Quốc

Giá bán: **Liên hệ**

[Van bi inox DN15 - DN350](#)

[Xem thêm Van bi inox DN15 - DN350](#)



- Xuất xứ: Đài Loan

Giá bán: **Liên hệ**

[Van bi inox có tán](#)

[Xem thêm Van bi inox có tán](#)